

Project:

Fixture Type:

Location

Contact:

Trevina II

Ceiling Mounted • Dry Location Listed PROGRESS LED



Description:

This ceiling fan includes an LED light source covered by a white opal shade to help extend your day into the evening. You and your family will relax in your peaceful retreat created by the cool breeze coming from the three-blades rotating overhead. The fixture is coated in a painted nickel finish to complete the handsome design.

Specifications:

- White Opal glass Bowl
- You and your family will relax in your peaceful retreat created by the cool breeze coming from the three-blades rotating overhead.
- This ceiling fan includes an LED light source covered by a white opal shade to help extend your day into the evening.
- The fixture is coated in a painted nickel finish to complete the handsome design.
- Ideal for any bedroom or den.
- · Perfect for modern or traditional settings.
- · Measures 44-inch width by 15-5/8-inch height.
- Uses one LED module 18w.
- Full dimmable
- Includes wall control for both ceiling fan and light.
- · Includes installation instructions and mounting hardware.
- · Progress Lighting products are designed for exceptional quality, reliability, and functionality.
- Dimmable to 10% brightness (See Dimming Notes)
- · Canopy covers a standard 4" recessed outlet box: 5.88 in W., 2.38 in ht., 5.88 in depth
- 80 in of wire supplied

Performance:


Number of Modules	1
Input Power	18 W
Input Voltage	120 V
Input Frequency	60 Hz
Lumens/LPW (Source)	1,600/84 (LM-82)
ССТ	3000 K
CRI	90 CRI
Life (hours)	50000 (L70/TM-21)
Warranty	Limited Lifetime Warranty
Labels	UL Dry Location Listed
	Meets California Title 24 JA8-2019
	AC motor



Dimensions:

Diameter: 44 in Height: 15-5/8 in

White Opal glass Bowl Width: 8 in Height: 2 in





Trevina II

Ceiling Mounted • Dry Location Listed PROGRESS LED



 $\mathsf{P2555}\text{-}0930\mathsf{K}$ is designed to be compatible with many Triac/ELV controls.

The following is a partial list of known compatible dimmer controls.

Dimming Controls:

Eaton AAL06	
IDevices IDEV009	
Leviton 6681	
Leviton 6672	
Leviton 6674	
Lutron NTEVL-300	
Lutron DVELV-300P	
Lutron DVCL-253P	
Lutron AYCL-153P	
Lutron SCL-153P	
Lutron TGCL-153-PH-WH	
Lutron MACL-153M	

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation.

Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.



P2555-0930K